

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7661	375/130,140,147,150,354,355,364,365,366.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 14:44
L2	6	cdma and ((measur\$4 near noise) same (set\$4 with threshold))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 14:45
L3	5	L2 and l1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 14:45
S1	2	("6556620").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/21 14:18
S2	3166	ohnishi.in.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/21 14:18
S3	45	ohnishi.in. and nec.as.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/21 14:19
S4	3	(ohnishi.in. and nec.as.) and synchronization	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/21 14:37
S5	4	("5982763" "6167037" "6263010" "6285885").PN.	USPAT	OR	OFF	2004/10/21 14:24
S6	6098	nec.as. and synchronization	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/21 14:37
S7	8401	nec.as. and synchronization	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 14:37
S8	1	(nec.as. and synchronization) and (timing near correlation near storage)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 14:37

S9	0	(nec.as. and synchronization) and (correlation near storage)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 14:38
S10	25	(nec.as. and synchronization) and correlation and storage and timing	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 15:07
S11	228	psc same sync\$12	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 15:08
S12	51	(psc same sync\$12) and ((stor\$4 or ram or rom or buffer or memory or register) same correlat\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 15:08
S13	5	(psc same sync\$12) and ((stor\$4 or ram or rom or buffer or memory or register) same correlat\$4 same threshold)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 15:13
S14	330	wireless and ((stor\$4 or ram or rom or buffer or memory or register) same correlat\$4 same threshold)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 15:14
S15	237	(wireless and ((stor\$4 or ram or rom or buffer or memory or register) same correlat\$4 same threshold)) and sync\$12	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 15:14
S16	87	wireless and ((stor\$4 or ram or rom or buffer or memory or register) with correlat\$4 with threshold)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 15:14
S17	65	(wireless and ((stor\$4 or ram or rom or buffer or memory or register) with correlat\$4 with threshold)) and sync\$12	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 15:14
S18	2922	correlati\$4 same averag\$4 same (weight\$2 or coefficient\$2)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 11:10
S19	18289	single near pole	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/21 17:51
S20	18	(correlati\$4 same averag\$4 same (weight\$2 or coefficient\$2)) and (single near pole)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/21 17:53

S21	6	single near pole near averag\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/21 17:53
S22	21	correlati\$4 same averag\$4 same (weight\$2 or coefficient\$2) same recent	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/21 18:07
S23	40	comma near free near code	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 18:07
S24	7	(comma near free near code) same correlat\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 18:15
S25	2402	(variable with threshold) same (memory or storage or buffer or register or ram or rom)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 18:15
S26	71	(variable with threshold) same (memory or storage or buffer or register or ram or rom) same correlat\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 18:18
S27	19	(variable with threshold) same ((memory or storage or buffer or register or ram or rom) with (amount or size)) same correlat\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 18:20
S28	5	(set\$4 near threshold) same ((memory or storage or buffer or register or ram or rom) with (amount or size)) same correlat\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 18:22
S29	31	(threshold with affect\$4) with ((memory or storage or buffer or register or ram or rom) with (amount or size))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 18:40
S30	104	(time near slot) same (pn near code)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 18:40
S31	60	((time near slot) same (pn near code)) and correlat\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 18:45
S32	9473	ssc	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 18:45

S33	102	ssc and (time near slot)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 18:45
S34	10	(ssc and (time near slot)) and pn	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/21 18:45
S35	95	(measur\$4 near noise) same (set\$4 with threshold)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 11:30
S36	6	cdma and ((measur\$4 near noise) same (set\$4 with threshold))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/06 14:44
S37	5	wireless and ((measur\$4 near noise) same (set\$4 with threshold))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 11:32
S38	713	snr with threshold	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 11:33
S39	168	cdma and (snr with threshold)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 11:33
S40	161	snr with (set\$4 or adjust\$4) with threshold	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 11:33
S41	70	cdma and (snr with (set\$4 or adjust\$4) with threshold)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:08
S42	70	cdma and (snr with (set\$4 or adjust\$4) with threshold)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:08
S43	5	ericsson.as. and (cdma and (snr with (set\$4 or adjust\$4) with threshold))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:32
S44	50459	add\$4 same averag\$4 same (weight or coefficient)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:34

S45	146	wireless and (add\$4 same averag\$4 same (weight or coefficient))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:33
S46	70	wireless and (add\$4 same averag\$4 same (weight or coefficient)) and correlat\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:34
S47	17124	add\$4 with averag\$4 with (weight or coefficient)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:37
S48	27	wireless and (add\$4 with averag\$4 with (weight or coefficient)) and correlat\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:38
S49	258	add\$4 with averag\$4 with (weight or coefficient) with (memory or buffer or rom or ram or register or storage)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:46
S50	46	(add\$4 with averag\$4 with (weight or coefficient) with (memory or buffer or rom or ram or register or storage)) and correlat\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:44
S51	2869	(weighted near average) and correlat\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:45
S52	271	((weighted near average) and correlat\$4) and wireless	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:45
S53	124	((weighted near average) and correlat\$4) and cdma	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:45
S54	142	((weighted near average) with add\$6) and correlat\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:49
S55	14	((((weighted near average) with add\$6) and correlat\$4) and wireless	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:47
S56	115	((((weighted near average) with add\$6) and correlat\$4) and (memory or buffer or rom or ram or register or storage)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:52

S57	12	(((((weighted near average) with add\$6) and correlat\$4) and (memory or buffer or rom or ram or register or storage)) and wireless	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:47
S58	3	((weighted near average) same add\$6) same correlat\$4 same (memory or buffer or rom or ram or register or storage)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:54
S59	33	(weight\$3 near average) same correlat\$4 same (memory or buffer or rom or ram or register or storage)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:51
S60	148	scaled near average	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:51
S61	61	(scaled near average) and correlat\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:52
S62	55	((scaled near average) and correlat\$5) and (memory or buffer or rom or ram or register or storage)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:52
S63	1	((weighted near average) same add\$6 same multipl\$4) same correlat\$4 same (memory or buffer or rom or ram or register or storage)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:54
S64	74	((weighted near average) same add\$6 same multipl\$4) and correlat\$4 and (memory or buffer or rom or ram or register or storage)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:55
S65	3	(((((weighted near average) same add\$6 same multipl\$4) same correlat\$4) and (memory or buffer or rom or ram or register or storage)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:56
S66	43	weight with recent with sample	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:56
S67	14	(weight with recent with sample) and correlat\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/10/22 12:56

S68	2	("6147982").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:58
S69	1	S68 and stor\$4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:58
S70	0	S68 and (stor\$4 near4 "not")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:59
S71	10	(US-5960048-\$ or US-6147982-\$ or US-6167037-\$ or US-6356608-\$ or US-6493360-\$ or US-6556620-\$ or US-6567482-\$ or US-6603735-\$).did. or (EP-1093237-\$).did. or (EP-1093237-\$).did.	USPAT; EPO; DERWENT	OR	OFF	2005/06/06 10:59
S72	0	S71 and (stor\$4 near4 "not")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:59
S73	13	(memory ram rom buffer storage) and (stor\$4 near4 "not")	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 10:59
S74	13	(memory ram rom buffer storage) and (stor\$4 near4 "not")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 11:09
S75	0	(memory ram rom buffer storage) and (stor\$4 near4 "not")	USPAT	OR	OFF	2005/06/06 11:00
S76	13	(memory ram rom buffer storage) and (stor\$4 near4 "not")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 11:09
S77	2954960	(memory ram rom buffer storage) and (stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 11:11

S78	59262	(memory ram rom buffer storage) same (stor\$4) same threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 11:10
S79	33142	(memory ram rom buffer storage) same ((stor\$4) with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 11:12
S80	3074	correlati\$4 same averag\$4 same (weight\$2 or coefficient\$2)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 11:10
S81	65	S79 and S80	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 11:10
S82	150247	(memory ram rom buffer storage) and (only near\$4 stor\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 11:11
S83	166	S82 and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 11:11
S84	20	S83 and ((stor\$4) with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/06 14:44